


# The Hi-TEC Performance System.

For those who value efficiency.



**Hi-TEC**  
Performance

Spies Hecker – simply closer.



An Axalta Coating Systems Brand

# For higher throughput in the bodyshop.

Innovative paint products contribute to efficient processes. The Hi-TEC Performance System products work in perfect combination with each other and are easy to apply. Short paint application times, rapid drying and easy sanding get vehicles back on the road sooner.



## Rapid throughput, flexible application and dependable results.

A solid basis for the repair is provided by Performance Surfacer 5320. It has a very good vertical stability and outstanding sandability.

The base coat is distinguished by its extremely uniform effect and high colour accuracy. This innovative paint technology assures rapid and reliable application. This means refinishers achieve equally good results, regardless of their application technique. The paint is applied in a single pass, without flash-off between coats – a sure way of increasing bodyshop throughput.



The high-productivity clear coats display good filling power and excellent gloss. They can be applied in either 1.5 or 2 coats, depending on the job.



## Perfectly adapted to the new generation of paint dryers.

Alternative drying methods are becoming more widespread in bodyshops. Infrared PowerCure and gas-fired systems are used in those areas where quick and efficient vehicle throughput is desired.

Thanks to its highly reactive binder technology, the Hi-TEC Performance System is perfectly attuned to the new paint drying methods.

# The Hi-TEC Performance System.

## A solid basis.

**Permasolid®  
HS Performance Surfacers 5320.**

- Very easy application.
- Good overspray absorption to yield a very smooth surface.
- Very good vertical stability.
- Outstanding sandability.
- Surfacers available in white, medium grey and dark grey.
- High yield.
- Excellent paint flow.

## High-performance base coat.

**Permahyd® Hi-TEC  
Base Coat 480.**

- Quick and simple application.
- Assurance of good results thanks to uniform effect.
- Excellent coverage, excellent colour accuracy.
- Short process times.
- Simple and dependable blending-in.
- Greater flexibility with interior, multi-stage and multi-color paintwork.



**+ VHS Performance Hardener**

|            |                       |                       |                     |
|------------|-----------------------|-----------------------|---------------------|
|            |                       |                       |                     |
| Wet-on-wet | Normal film thickness | Medium film thickness | High film thickness |

### For high productivity.

#### Permasolid® HS Speed Clear Coat 8800.

- Rapid drying even at low metal temperatures – 10-15 min/40°C - 45°C.
- Super-fast oven drying – 5 min/60°C metal temperature.
- Exceptional gloss – mirror-like effect.
- Extremely smooth and scratch-resistant surface.

### For universal and flexible use.

#### Permasolid® HS Clear Coat 8055.

- Universal clear coat for all repairs.
- Simple and reliable to apply.
- Flexible in use: for standard repairs such as bumpers, doors or partial resprays in a single pass = 1.5 coats or 2 coats; for full resprays in 2 coats
- Good build and gloss.
- Easy to polish.
- Can be mixed with any VHS Hardener or with HS Additive 9034.

### For rapid results.

#### Permasolid® HS Optimum Plus Clear Coat 8650.

- Efficient application in a single pass without flash-off between coats.
- Good application even in less than ideal booth conditions.
- Very fast drying.
- Well suited to IR drying.
- Simple to polish.



+ VHS Hardener

or






+ VHS Hardener

or




+ VHS Hardener



● = good   ●● = good/very good   ●●● = very good   ●●●● = very good/excellent   ●●●●● = excellent



## Professional colour management.



## ColorDialog Delta-Scan.

New colour measuring instrument with innovative optics.

Car manufacturers are developing new effect and special colours at an ever-accelerating pace. With the ColorDialog Delta-Scan, these can be identified precisely and extremely quickly.

### The advantages at a glance:

- The innovative optics enables the simultaneous measurement of colour and effect in a single process and get you to the precise colour formula faster.
- The instrument is operated via a colour touchscreen.
- In addition, the newly developed *CRplus* software allows for the convenient, quick selection and correction of the colour on the screen.



Spies Hecker delivers optimum and practical paint system solutions that make bodyshop work easier and more efficient. With more than 130 years of success behind it, Spies Hecker always puts customers first. High-quality product systems, superior service and targeted training result in more environmentally compatible vehicle refinishing. Based in Cologne, Germany, it is one of the world's leading vehicle refinish brands, and is available in over 76 countries worldwide.

**Spies Hecker – simply closer!**

**Spies Hecker GmbH**  
Horbeller Straße 17  
50858 Köln, Germany  
Tel.: +49 (0) 2234 60 19 - 3630  
Fax: +49 (0) 2234 60 19 - 3880  
[www.spieshecker.de](http://www.spieshecker.de)

**Axalta Coating Systems  
UK Limited**  
Unit 1, Quadrant Park  
Mundells  
Welwyn Garden City  
Hertfordshire  
AL7 1FS  
D +44 (0) 1707 5180 00

