

Paint systems for professionals.



Spies Hecker – simply closer.



Customised product systems for all requirements.

System recommendations for standard finishes.

	<i>Speed Repairs</i>	<i>Partial re-sprays</i>		<i>Full resprays</i>
		<i>Wet-on-wet</i>	<i>Sanding</i>	
HS clearcoat	Optimum 8600 Optimum Plus 8650 NEW	8035 8055 NEW	8035 8055 NEW	8034 (2 coats) 8030 (1.5 coats)
Basecoat	Hi-TEC 480 280/285	Hi-TEC 480 280/285	Hi-TEC 480 280/285	Hi-TEC 480 280/285
Surfacer	Express 5250	Wet-on-wet 5330	Premium 5310 Performance 5320 NEW	Premium 5310 Performance 5320 NEW
Primer	4085	4085 ¹	4085, 4075	4085, 4075




¹ Optionally 4075



A system for greater success.

- Integrated product systems for all fields of application.
- Everything from spot repairs to exclusive full re-sprays.
- Forward-looking technologies.
- Supports efficient application processes.



Professional paint system.



Primer.

Primat® Wash Primer 4075

Application Corrosion protection Drying



- 2K product
- Approvals from many car manufacturers
- Passivating properties
- Highly reliable results on a large number of metal substrates

Primat® 1K Wash Primer 4085

Application Corrosion protection Drying



- Universal applications
- Welding test certificate available

Permacron® 1:1 Elastic Primer Surfacer 3300

- Adhesion to all conventional automotive plastics
- Can be applied wet-on-wet
- Highly flexible

System recommendations for special finishes.

	<i>Matt finishes</i>	<i>Finishes on plastics</i>	<i>Scratch-resistant finishes</i>	<i>Classic car finishes</i>	<i>Low-cost resprays</i>
HS clearcoat	8030 + MA 110 8035 + MA 110 (small parts only) 8055 NEW + MA 110 (small parts only)	8034 (2 coats) ² 8035 (1.5 coats) ² 8055 NEW ²	Diamond 8450	8030 8034 Diamond 8450	8034 8035 8055 NEW
Basecoat	Hi-TEC 480 280/285	Hi-TEC 480 280/285	Hi-TEC 480 280/285	Hi-TEC 480 280/285	Hi-TEC 480 280/285
Surfacer	Premium 5310 Performance 5320 NEW	Elastic 3300	Premium 5310 Performance 5320 NEW	Vario 8590	EP 4500
Primer	4085, 4075	—	4075	4075	—



² Added Elastic Additive 9050



Surfacer.

Universal applications.

Permasolid® HS Premium Surfacer 5310

Permasolid® HS Performance Surfacer 5320 **NEW**

Wet-on-wet	Normal build	Medium build	Higher build
■	■	■	■

High productivity.

Permasolid® HS Express Surfacer 5250

Wet-on-wet	Normal build	Medium build	Higher build
■	■	■	■

Permasolid® HS Wet-on-wet Surfacer 5330

Wet-on-wet	Normal build	Medium build	Higher build
■	■	■	■

The specialists.

Permasolid® HS SpectroFlex Surfacer 5400



Basecoat.

Permahyd® Hi-TEC 480

- Simple and quick application.
- Results you can rely on thanks to uniform effect.
- Short process times.
- Simple and reliable blending-in.
- Greater flexibility with interior, multi-stage and multicolor paint-work.

Permahyd® Base Coat 280/285

- Simple application.
- Good vertical stability.
- High opacity.



Clearcoat.

Universal.

Permasolid® HS Clear Coat 8035/8055 **NEW**

Paint flow	Application	Drying
● ● ● ●	● ● ●	● ● ● ●
● ● ● ●	● ● ●	● ● ● ●

User-friendly.

Permasolid® HS Clear Coat 8034

Paint flow	Application	Drying
● ● ● ●	● ● ● ●	● ● ●

High productivity.

Permasolid® HS Clear Coat 8600/8650 **NEW**

Paint flow	Application	Drying
● ● ●	● ● ●	● ● ● ●
● ● ●	● ● ●	● ● ● ●

The specialists.

Permasolid® HS Diamond Clear Coat 8450

Permasolid® HS Clear Coat 8030

Spies Hecker GmbH
Horbeller Straße 17
50858 Köln
Tel.: + 49 2234 6019 - 3630
Fax: + 49 2234 6019 - 3880
www.spieshecker.com

Spies Hecker UK
DuPont Performance Coatings
Wedgwood Way
Stevenage
Hertfordshire
SG1 4QN
www.spieshecker.co.uk

