


The Hi-TEC Performance System.

For those who value efficiency.



Hi-TEC
Performance

Spies Hecker – simply closer.



An Axalta Coating Systems Brand

For higher throughput in the bodyshop.

Innovative paint products contribute to efficient processes. The Hi-TEC Performance System products work in perfect combination with each other and are easy to apply. Short paint application times, rapid drying and easy sanding get vehicles back on the road sooner.



Rapid throughput, flexible application and dependable results.

A solid basis for the repair is provided by Performance Surfacer 5320. It has a very good vertical stability and outstanding sandability.

The base coat is distinguished by its extremely uniform effect and high colour accuracy. This innovative paint technology assures rapid and reliable application. This means refinishers achieve equally good results, regardless of their application technique. The paint is applied in a single pass, without flash-off between coats – a sure way of increasing bodyshop throughput.



The high-productivity clear coats display good filling power and excellent gloss. They can be applied in either 1.5 or 2 coats, depending on the job.



Perfectly adapted to the new generation of paint dryers.

Alternative drying methods are becoming more widespread in bodyshops. Infrared PowerCure and gas-fired systems are used in those areas where quick and efficient vehicle throughput is desired.

Thanks to its highly reactive binder technology, the Hi-TEC Performance System is perfectly attuned to the new paint drying methods.

The Hi-TEC Performance System.

A solid basis.

**Permasolid®
HS Performance Surfer
5320.**

- Very easy application.
- Good overspray absorption to yield a very smooth surface.
- Very good vertical stability.
- Outstanding sandability.
- Surfer available in white, medium grey and dark grey.
- High yield.
- Excellent paint flow.

High-performance base coat.

**Permahyd® Hi-TEC
Base Coat 480.**

- Quick and simple application.
- Assurance of good results thanks to uniform effect.
- Excellent coverage, excellent colour accuracy.
- Short process times.
- Simple and dependable blending-in.
- Greater flexibility with interior, multi-stage and multi-color paintwork.

For universal and flexible use.

**Permasolid®
HS Clear Coat 8055.**

- Universal clear coat for all repairs.
- Simple and reliable to apply.
- Flexible in use: for standard repairs such as bumpers, doors or partial resprays in a single pass = 1.5 coats or 2 coats; for full resprays in 2 coats
- Good build and gloss.
- Easy to polish.
- Can be mixed with any VHS Hardener or with HS Additive 9034.
- Excellent gloss & texture replication to OEM finish

For fast turnaround.

**Permasolid® HS Speed
Clear Coat 8655.**

- For small repairs, ideal for bumper bars & 1-2 small panel repairs
- Efficient application in a single pass without flash-off between coats.
- Good application even in less than ideal booth conditions.
- Fast drying.
- Dust free in 10 minutes.
- Simple to polish.



or



+ VHS Performance Hardener



Wet-on-wet Normal film thickness Medium film thickness High film thickness

+ VHS Hardener



Paint flow Application Drying

+ VHS Hardener



Paint flow Application Drying

• = good •• = good/very good ••• = very good •••• = very good/excellent ••••• = excellent



Spies Hecker delivers optimum and practical paint system solutions that make bodyshop work easier and more efficient. With more than 130 years of success behind it, Spies Hecker always puts customers first. High-quality product systems, superior service and targeted training result in more environmentally compatible vehicle refinishing. Based in Cologne, Germany, it is one of the world's leading vehicle refinish brands, and is available in over 76 countries worldwide.

Spies Hecker – simply closer!

W: www.spieshecker.com.au
T: 1800 292 582 / 1800 AXALTA
E: spies.hecker@axaltacs.com

AN AXALTA COATING SYSTEMS BRAND

The Axalta logo, Axalta™, Axalta Coating Systems™, and all of Axalta's product and service names are trademarks or registered trademarks of Axalta Coating Systems™, LLC and/or its affiliates. Other trademarks are the property of their respective owners. M15054 8/2015

