


With smarter tactics, you can finish first every time.

New Permasolid® Speed-TEC Clear Coat 8810.



Official Team Supplier



Spies Hecker – simply closer.



An Axalta Coating Systems Brand



New on the grid: Permasolid® Speed-TEC Clear Coat 8810.
– the latest innovative addition to our Speed-TEC system.

- Permasolid® Speed-TEC Clear Coat 8810
- Permahyd® Hi-TEC Base Coat 480
- Permasolid® Speed-TEC Wet-on-Wet Surfacer 5550
- Permasolid® Speed-TEC Surfacer 5500
- Priomat® Reactive Pretreatment Wipes 4000

Speed-TEC system

The right tactics make all the difference!

When you need to reach top speed, reach for Permasolid® Speed-TEC Clear Coat 8810, our latest clearcoat. Used as part of the complete Speed-TEC system, it significantly cuts process times. A standard repair takes just 71 minutes – so the vehicle can be returned in no time and small repairs become a lucrative business option. What's more, with Permasolid® Speed-TEC Clear Coat 8810, you can save on energy costs by drying Hi-TEC Base Coat and Speed-TEC Clear Coat at low temperatures – 40°C or even just 20°C.

No-cure basecoat.

Thanks to new Axalta technology, Permasolid® Speed-TEC Clear Coat 8810 also wins when it comes to processing properties with its flexible application, improved filling power and excellent vertical stability. In addition, there's now no need to cure the Hi-TEC Base Coat 480 during processing.

Unbeatable in action.



Flexible application in 1.5 or 2 layers.

The innovative technology used in Permasolid® Speed-TEC Clear Coat 8810 accelerates your workflow enormously while also delivering a first-class finish. Thanks to flexible application in 1.5 or 2 spray coats, it can be optimally adapted to better match to the OEM appearance.

Fast drying at low temperature.

Thanks to its innovative product properties, the Permasolid® Speed-TEC Clear Coat 8810 is especially suitable for drying at low temperatures: 40°C/10-15 minutes or 20°C/30-55 minutes. So now you only need to heat your spray booth up to a maximum of 40°C which means significant savings in energy costs.



Good filling power.

Noticeably higher viscosity boosts Permasolid® Speed-TEC Clear Coat 8810's filling power, ensuring that smaller specks or dust particles can be covered well. This saves bodyshops time by reducing polishing effort.



Good curing properties.

Permasolid® Speed-TEC Clear Coat 8810 cures very quickly – and so improves your throughput. After only 10-15 minutes/40°C, vehicles can already be taken out of the spray booth. Spectacular! Even after such a short time, the surface has already hardened enough for you to start polishing or reassembling parts.



Easy tinting.

Special colours offered by car manufacturers are becoming increasingly popular. To match these effects, the new Permasolid® Speed-TEC Clear Coat 8810 can be easily tinted with the Permasolid® Clear Coat Color Additives. For painting plastic parts, use the Permasolid® Elastic Additive 9050 which meets the highest technological requirements.

Max speed.

Cut process times to the minimum.

When it comes to speed, the Speed-TEC system wins every time. With only 71 minutes it provides the shortest repair time, which is currently possible. But using Permasolid® Speed-TEC Wet-on-Wet Surfacer 5550 reduces that time even further to an incredible 36 minutes. That's at least 50% quicker than comparable product solutions.



Save 50-70% on energy costs.

The Speed-TEC system is the innovative repair solution that can be completely dried at 40°C or even 20°C. This dramatically saves energy costs – by up to 70%. Drying at low temperatures is also handy if your spray booth isn't capable of reaching higher temperatures.



A man in a dark blue racing suit with teal accents and 'Permasolid' branding stands next to a Mercedes-AMG Petronas Formula 1 car. The car is silver with teal accents and features the number 44. It has 'PETRONAS SYNTIUM' branding on the front wing and 'PETRONAS' on the rear wing. The car is parked on a dark grey grid floor in a garage. In the background, there is a white wall with a 'SPIES HECKER' logo and a fire extinguisher. The text 'Stay in the fast lane.' is overlaid in the top right corner.

Stay in the fast lane.

**With Permasolid® Speed-TEC Clear Coat 8810,
the perfect combination of efficiency and flexibility.**

- Higher vehicle throughput thanks to much faster drying
- Reduction in operating costs through energy savings
- Excellent finish thanks to improved processing properties

Take it for a test drive. Seeing is believing!

For more information, scan the QR code or visit our website.



Spies Hecker, a global refinish coating brand from Axalta, develops optimum and practical paint system solutions that make bodyshop work easier and more efficient. Originally from Cologne, Germany, and with over 135 years of success behind it, Spies Hecker's high-quality product systems, customised service and tailored training demonstrate its partnership with the refinish industry. The paint brand is one of the world's leading vehicle refinish brands, and is available in over 75 countries worldwide.

Spies Hecker – simply closer!



For more information
scan the QR code or visit:
spieshecker.co.uk/speedtec8810



For more information
scan the QR code or visit:
spieshecker.com/speedtec8810

**Axalta Coating Systems
UK Limited**
Unit 1, Quadrant Park
Mundells
Welwyn Garden City
Hertfordshire
AL7 1FS
0 1707 518000
spieshecker.co.uk

Axalta Coating Systems
JAFZA South, Zone 3
PO Box 334180
Dubai, United Arab Emirates
04 821 7666
axalta.com/ae

