



## Clear Coats.



Permasolid® HS Speed Clear Coat 8800

### Permasolid® HS Speed Clear Coat 8800

Permasolid® HS Speed Clear Coat 8800 is a very fast drying High Solid clear coat (only five minutes at 60°C object temperature).

- application in 1.5 coats
- rapid drying (air and force drying)
- very good gloss and flow
- fast to polish (10 mins after cooling)

#### Paint flow



#### Application



#### Drying



Permasolid® HS Race Clear Coat 8700

### Permasolid® HS Race Clear Coat 8700

Easy to apply, fast-drying and energy-saving clear coat for excellent results.

Permasolid® HS Race Clear Coat 8700 is a versatile clear coat. Thanks to its easy application with excellent flow properties and its quick, flexible drying, cycle times can be decreased. In addition, the clear coat offers a high gloss result.

- Suitable for all repairs: from minor damage to overall respray.
- Easy and reliable application in 2 coats with short intermediate flash off.
- Good vertical stability.
- Outstanding topcoat hold-out thanks to excellent flow and high gloss.
- Fast drying: 15 min/60°C.
- Energy saving drying: 30 min/40°C. IR drying is also possible.
- Thanks to modern technology it can be polished and assembled right after oven drying and short cooling period.

#### Paint flow



#### Application



#### Drying






Permasolid® HS Optimum Plus Clear Coat 8650

### Permasolid® HS Optimum Plus Clear Coat 8650

Permasolid® HS Optimum Plus Clear Coat 8650 is a VOC-compliant high-grade High Solid clear coat. Optimal application even under unfavourable spray booth conditions, e.g. low drying temperature.

- variable and productive application
- dries very quickly
- easy and fast to polish
- It is possible to use Permasolid® HS Accelerator 9025 / Permasolid® Additive 9026 with this clear coat




Permasolid® HS Clear Coat 8055

### Permasolid® HS Clear Coat 8055

Permasolid® HS Clear Coat 8055 is a high-gloss, VOC-compliant High Solid clear coat.

- variable and easy application in 1.5 coats (preferred) or 2 coats
- good vertical stability
- fast through drying
- good final hardness after drying
- good gloss and flow




Permasolid® HS Clear Coat 8035

### Permasolid® HS Clear Coat 8035

Permasolid® HS Clear Coat 8035 is a VOC-compliant, high-grade, productive High Solid clear coat.

- easy and efficient to apply in 1.5 coats
- versatile in use with Permasolid® HS hardener and Permasolid® VHS hardener
- good gloss and flow
- easy to polish






Permasolid® HS Clear Coat 8034

### Permasolid® HS Clear Coat 8034

Permasolid® HS Clear Coat 8034 is a high-gloss, VOC-compliant High Solid clear coat from our 2K-Acrylic system.

- application in 2 coats (preferred), (1.5 coats possible)
- very good top coat hold-out
- good vertical stability
- good polishing properties
- very good filling power and gloss




Permasolid® HS Clear Coat 8030

### Permasolid® HS Clear Coat 8030

Permasolid® HS Clear Coat 8030 is a VOC-compliant, high-grade High Solid clear coat.

- versatile in use with HS hardener and Permasolid® VHS hardener
- good gloss and flow
- brilliant surface finish
- suitable for matt finishes on large areas (with Permasolid® Matting Component MA 110)



> [PRODUCT FINDER](#)

[http://www.axaltacoatingsystems.com/content/spieshecker\\_corporate/en\\_GB/products/passenger-cars/clears.print.html](http://www.axaltacoatingsystems.com/content/spieshecker_corporate/en_GB/products/passenger-cars/clears.print.html)