



How-to-videos "Tips4You".

How to paint in a professional way.

New training videos entitled **Tips4You** focus on everyday repair methods.

Paint expert Tony Mitchell shows how it's done right.

Video 15: How to prevent Pinholes



Pinholes or small craters in a finished job are a frustrating defect particularly when you don't know the cause or how to prevent them in future. Normally these occur in solid colour basecoats, predominantly reds/whites, and are the result of over application of basecoat. In this video we look at measures you can

take to prevent such defects and examine a new innovative product solution that will help you produce flawless results.

Video 13: Permasolid Speed-TEC Clear Coat 8810



When you need to reach top speed, reach for our latest clearcoat. Used as part of the complete **Speed-TEC System**, it significantly cuts process times.

Speed-TEC Clear Coat 8810 is made for time and energy saving, specially at lower temperature of 40°C or even just 20°C. Thanks to new Axalta it also wins when it comes to processing properties as flexible application, improved filling power and good vertical stability.

Video 12: Application process in 1.5 coats



As the majority of Spies Hecker Clear Coats can be applied in 1.5 coats, we want to share our tips for getting the most from this efficient process.

Video 11: Permahyd® Base Coat 280 - Blending



Permahyd® Base Coat 280 allows simple and safe processing for all types of repair. With over 25 years in the market, it's easy to overlook how good and simple this basecoat really is!

Evgeny will demonstrate the correct application and blending process along with his Tips4You.

Video 10: Permasolid® Vario Primer Surfacer 5340: Multi-functional, direct to metal or plastic >

Painting new spare parts of multiple-substrates is much easier with an efficient paint system. Reliable high quality results rely on a solid foundation like the Permasolid® Vario Surfacer 5340.

In in this video we share our tips for consistent 1st time right results.

Video 9: Permahyd® Hi-TEC 480: Mazda 46G Machine Gray >

Mazda 46G Machine Grey is an increasing popular and challenging OEM colour for many bodyshops to repair successfully.

In this video we explain the most important tips and steps that will help you enable reliable good quality results.

Video 8: Fixing paint defects in dry basecoat >

From time to time unexpected end results pop-up when **Permahyd Hi-TEC Basecoat** is already dry. A blending mistake or dust / dirt contamination are the most common problems that painters are faced with.

Follow our tips for a quick fix.

Video 7: Blending-in with/ without Blend-in Additive 1050/1051 >

We know that when working with **Permahyd Hi-TEC**, the **Blend-in Additive** is only sometimes used.

In this short video we will show you when you should use Blend-in Additives and when you can do your paint job without it. Look out also for our other videos for blending-in on larger areas and how to repair a 3-stage colours.

Video 6: Optimal Colour Matching - 100% Digital >

There is an easier and more reliable way to find the correct colour formula than using fandeck color chips. Our colour specialist Inne Goossens guides Tony through the simple and effective digital colour retrieval process using **ColorDialog Phoenix spectrophotometer and Phoenix software**. The big hurdle all painters have, is to give up their established traditional work methods. Putting trust in a digital colour solution is a big challenge, but if you give it a chance you'll find there is more to gain than to fear by using these modern tools.

Together with **Permahyd® Hi-TEC Base Coat 480**, you have not only the fastest way of application, but also the most efficient colour retrieval process.

Video 5: Turbo Fast Repair Process >

Seeing is believing! And in this video, we demonstrate a typical repair from start to finish and how the new Speed-TEC product assortment brings the ultimate in paint repair efficiency and productivity whilst consuming the lowest possible amount of energy. And with the fact that quality and appearance are not compromised – thanks to the newest Axalta technology.

This system/product range offers a new dimension to today's bodyshop. If you are really interested to see this product range in a practical way, then take 10 minutes and a cup of coffee and watch what we can offer you!

Video 4: 3-stage repair process >

3 stage pearl colours are becoming more common, and they require certain attention in the refinish repair process if

you want them 1st time right. Follow our tips on colour card preparation, correct undercoat color, application process and blending-in technique to help you achieve consistently good repairs using Permahyd Hi-TEC 480 basecoat.

Video 3: Blending-in process >

Halo's and visible transitions are the most common problems when blending-in high metallic colours. With Permahyd Hi-TEC there is a fast, reliable and repeatable process, which will help you get consistently good results as we show you in this video.

Video 2: Control Mottling >

Painting a bonnet with "Permahyd Hi-TEC Performance 480" is easy if you follow our technical datasheets, but if you do need to fix some clouding and mottling problems with tricky colours, then you need to know the best way.

Video 1: Application Guide for Hi-TEC Performance System >

In this video we show the essential aspects of applying "Permahyd Hi-TEC Performance 480" on the full side of a car. The focus on several key points like how the 1.5 coat process should look like, the importance of spray gun distance, how to control overlaps and how the basecoat should look whilst it's still wet.

Follow these simple steps and you will improve your results.

http://www.axaltcoatingsystems.com/content/spieschecker_no/no_NO/training-know-how/how-to-video-tips4you.print.html